



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/691,424

10/22/2003

Michael S. Kaplan

M61.12-0988

6179

27366

7590

04/10/2009

WESTMAN CHAMPLIN (MICROSOFT CORPORATION)

SUITE 1400

900 SECOND AVENUE SOUTH

MINNEAPOLIS, MN 55402

EXAMINER

COLUCCI, MICHAEL C

ART UNIT

PAPER NUMBER

2626

MAIL DATE

DELIVERY MODE

04/10/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/691,424	Applicant(s) KAPLAN ET AL.	
	Examiner MICHAEL C. COLUCCI	Art Unit 2626	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 20 January 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Arguments

1. Applicants arguments with respect to claims 1, 6, and 11 have been considered but are moot in view of the new grounds of rejection. In light of the Remarks filed 01/20/2009 and in light of the specification, Examiner has incorporated Okada US 5889481 A (hereinafter Okada) to address “linguistic sorting is determined based on a compression type of the given compression, a first of the two or more symbols in the given compression and a predefined order of symbols”, wherein Okada appears to teach this limitation for multiple languages. Further, though Lisle in view of Katayama teach the ordering of multiple dictionaries, Okada has been introduced to address the compression of multiple languages through the use of multiple compression units.

NOTE: Examiner would like to remind Applicant of the following:

“USPTO personnel are to give claims their broadest reasonable interpretation in light of the supporting disclosure. In re Morris, 127 F.3d 1048, 1054-55, 44 USPQ2d 1023,1027-28 (Fed. Cir. 1997). Limitations appearing in the specification but not recited in the claim should not be read into the claim. E-Pass Techs., Inc. v. 3Com Corp., 343 F.3d1364, 1369, 67 USPQ2d 1947, 1950 (Fed. Cir. 2003) (claims must be interpreted “in view of the specification” without importing limitations from the specification into the claims unnecessarily). In re Prater, 415 F.2d 1393, 1404-05, 162 USPQ 541, 550-551 (CCPA 1969). See

also In re Zletz, 893 F.2d 319, 321-22, 13 USPQ2d 1320, 1322 (Fed. Cir. 1989) (“During patent examination the pending claims must be interpreted as broadly as their terms reasonably allow.... The reason is simply that during patent prosecution when claims can be amended, ambiguities should be recognized, scope and breadth of language explored, and clarification imposed.... An essential purpose of patent examination is to fashion claims that are precise, clear, correct, and unambiguous. Only in this way can uncertainties of claim scope be removed, as much as possible, during the administrative process.”). Where an explicit definition is provided by the applicant for a term, that definition will control interpretation of the term as it is used in the claim. Toro Co. v. White Consolidated Industries Inc., 199 F.3d 1295, 1301, 53 USPQ2d 1065, 1069 (Fed. Cir. 1999) (meaning of words used in a claim is not construed in a “lexicographic vacuum, but in the context of the specification and drawings.”). Any special meaning assigned to a term “must be sufficiently clear in the specification that any departure from common usage would be so understood by a person of experience in the field of the invention.” Multiform Desiccants Inc. v. Medzam Ltd., 133 F.3d 1473, 1477, 45 USPQ2d 1429, 1432 (Fed. Cir. 1998). See also MPEP § 2111.01.”

Examiner maintains the use of Lisle, wherein Lisle in view of Katayama and Okada read upon the claim language and is directly in the scope of the claims (i.e.

Art Unit: 2626

compression, sorting, and searching or Unicode text data). A compression table is construed to be functionally equivalent and equally effective to that of a dictionary or list, where both contain information relative to the sorting of a language in memory. A table, dictionary, corpus, look up table, etc. is merely a database that is referenced, wherein the table/dictionary is specific to sorting. Lisle clearly demonstrates the well known use of a binary search and ranking of dictionaries/tables, wherein Lisle teaches that multiple dictionaries may be used and in the general case, each dictionary may contain up to j segments. A given segment for a given dictionary D will thus be defined by $D(i,j)$ and can be invoked by a particular bit pattern resident within the control table. The sum of the number of segments employed for all dictionaries used in a given compression example must be reserved in individual bit patterns within the control table to identify the segments as they occur in the compressed text string. That is, there will be one bit pattern in the control table for each segment of each identified dictionary that is employed in the compressed text string. Thus, the number of word or phrases represented by a single byte in the compressed data set will be the total number possible in a single byte, 256 less the total number of all segments that must have identifiers reserved for them in the control table and less the number of control bit patterns set aside within the control table for special characters, letters, numbers and control sequences or signals. By an arbitrary convention employed herein, the number of bit patterns within the control table used to identify dictionary segments is assigned sequentially starting at the top of the control table, i.e., with a bit pattern of all 1's and proceeding to lower numbered bit patterns until the total number of dictionary segments

Art Unit: 2626

have all been assigned. Any remaining control table spaces may then be assigned for the control bit patterns, special characters, letters, numbers and the like and any remaining spaces can be given over to the highest figure of merit words (Col. 13 lines 24-34).

Further, Lisle teaches the relative weighted figure of merit for each word in the document is computed by multiplying the count of the number of occurrences of each word by the length in characters of the word. The resulting figures of merit are sorted by magnitude with the highest magnitude (highest figure of merit words) being assigned to bit positions that remain within the single byte table (after assignment of alphas, numerics, special characters and the control characters has been completed). The user will have to define how many bit patterns will be available in a single byte table by a judicious selection of the control characters, etc. This will leave a certain number out of the 256 possible patterns available. A unique header is then written in box 28 to begin the compressed data stream. This is followed as shown in box 29 by the segment memory location map, a 2 byte pattern indicating the length of all the words that are represented in the single byte table from box 26, and followed by the actual list of words to be used in the dictionary as shown in box 31 (Col. 19 lines 20-34).

Furthermore, like the present invention, Lisle clearly teaches that a processor 4 will construct indices to minimize the dictionary search time. These may have been previously constructed and read in at the time the dictionaries themselves are loaded

Art Unit: 2626

from bulk storage 8. The index set consists of a set of members, each member of which will contain the segment number which is reserved in the control table to be defined for that segment. The index member has two entries for the length of a word and the word itself for the lowest or first entry of that dictionary segment in the collation order of words being used. The index member also has two entries for the last or highest collation order word entry in that segment for the word's length and for the word itself. In other words, the dictionary segment index contains, for each segment to be defined, a length and an actual word entry for the lowest order collation entry appearing within that segment alphabetically and a length and actual word entry for the highest collation order entry appearing within that segment. The collation order may usually be alphabetic. An example collation order is shown in FIG. 2. The collation order assumed for the example of FIG. 2 is that used in the IBM System/370 computer architecture. This is an assigned hierarchical sorting collation order with special characters first in a defined order that is known to users of such systems, followed by the alphabet upper and lower case and last, by the numerals in the highest collation order of sequence. The collation order may be viewed as equivalent to an overall "alphabetic order" for the possible entries to be sorted. The actual dictionary entries for each dictionary are thus collated first and sorted into the collation order. Each dictionary segment thus begins with some low collation order entry of a given length and a given entry word (or number or character as the case may be) and the segment index ends with the highest collation order entry that appears within that segment of the dictionary being used. The

dictionary segment index is used to speed dictionary search time using binary search techniques as will be described (Col. 15 lines 23-63 & Fig. 2).

Additionally, as cited in the previous office action:

“Katayama et al. US 6260051 B1 US 5550541 A (hereinafter Katayama) has been introduced to address the amendment(s) to the claims. Katayama teaches a registration two-character chain table producing unit 194 for producing a first table block, in which a plurality of registration first and second two-character chains respectively including the same type of for general character and the position numbers of the registration first and second two-character chains are listed in the order of arranging the chains in the converted registration character string, for each fore general character type, producing a second table block, in which a plurality of registration special two-character chains respectively including the same type of fore symbolic character and the position numbers of the registration special two-character chains are listed in the order of arranging the chains in the converted registration character string, for each fore symbolic character type, and combining each first table block corresponding to one type of fore general character and one second table block corresponding to one type of fore symbolic character determined in correspondence to the type of the fore general character to form a two-character chain table for each character group, the fore characters of the chains in each two-character chain table belonging to the same character group (Katayama Col. 130 lines 33-53).

Further, Katayama teaches a character chain collating and judging unit 200 for receiving the position numbers of one particular two-character chain Tc1 from the storing unit 195 just after the reception of the position numbers of another particular two-character chain Tc2 under the control of the control unit 199. (First collation case), collating each position number of a particular second two-character chain Tc1 with a particular position number of a particular first two-character chain Tc2 to judge whether or not each position number of the particular second two-character chain Tc1 agrees with the particular position number of the particular first two-character chain Tc2 (second collation case), collating each position number of a particular special two-character chain Tc1 with a particular position number of a particular first two-character chain Tc2 to judge whether or not each position number of the particular special two-character chain Tc1 is higher than the particular position number of the particular first two-character chain Tc2 by one (third collation case), collating each position number of a particular special two-character chain Tc1 with a particular position number of a particular second two-character chain Tc2 to judge whether or not each position number of the particular special two-character chain Tc1 is higher than the particular position number of the particular second two-character chain Tc2 by two (fourth collation case), collating each position number of a particular first two-character chain Tc1 with a particular position number of a particular special two-character chain Tc2 to judge whether or not each position number of the particular first two-character chain Tc1 is higher than the particular position

Art Unit: 2626

number of the particular special two-character chain Tc2 by one (fifth collation case), and detecting a particular position number of a particular two-character chain of the particular two-character chain table Tc1 for each collation case (Katayama Col. 131 lines 27-67).

Additionally, Examiner takes Official Notice that it is well known to compress input characters/symbols into a different representation such as the dictionary methods (LZX, LZ78, LZFG, LZRW1, LZRW4, LZW, LZMW, LZAP, LZYLZ, and other variants of dictionary compression methods taught by “*David Solomon, Data Compression – The Complete Reference, 4th Ed.*, Pages 172-224 & Tables 3.25 and 3.26” demonstrate input and output variants,- wherein single symbols/characters are sorted and represented as a combination of symbols/characters.”

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claim 1, 2, 5-7, 10-12, and 15-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lisle et al US 4,843,389 (hereinafter Lisle) in view of Katayama et al. US 6260051 B1 US 5550541 A (hereinafter Katayama) and further in view of Okada US 5889481 A (hereinafter Okada).

Re claims 1 and 6, Lisle teaches a computer-readable medium having computer-executable instructions for performing steps for building a symbol table for storing sort weights for a plurality of linguistic symbols used in a plurality of languages supported by a computer system (Col. 15 lines 45-63), comprising:

constructing the symbol table (Col. 19 lines 36-59) to contain a list of code points (Col. 20 lines 35-56) each uniquely identifying one of the symbols, and a sort weight for the symbol identified by said each code point (Col. 15 lines 45-63);

providing a plurality of compression tables, each compression table pertaining to one of the supported languages and having a compression type and containing compressions of symbols of that compression type

for each code point in the symbol table (Col. 20 lines 35-56), sorting the compression tables (Col. 19 lines 36-59) to identify a highest compression type our compressions beginning with the symbol (Col. 15 lines 45-63) identified by said each code point (Col. 20 lines 35-56);

storing in the symbol table a tag for each code point to indicate said highest compression type for said each code point (Col. 20 lines 35-56).

NOTE: Tagging a code point is construed to be both functionally equivalent and equally effective as ranking or ordering a code point or address in memory for the purposes of a hierarchical classification.

However, Lisle fails to teach each compression being a grouping of two or more symbols treated as a single unit for purposes of linguistic sorting and the compression type identifying a number of symbols in a given compression

Katayama teaches a registration two-character chain table producing unit 194 for producing a first table block, in which a plurality of registration first and second two-character chains respectively including the same type of for general character and the position numbers of the registration first and second two-character chains are listed in the order of arranging the chains in the converted registration character string, for each fore general character type, producing a second table block, in which a plurality of registration special two-character chains respectively including the same type of fore symbolic character and the position numbers of the registration special two-character chains are listed in the order of arranging the chains in the converted registration character string, for each fore symbolic character type, and combining each first table block corresponding to one type of fore general character and one second table block corresponding to one type of fore symbolic character determined in correspondence to the type of the fore general character to form a two-character chain table for each character group, the fore characters of the chains in each two-character chain table belonging to the same character group (Katayama Col. 130 lines 33-53).

Further, Katayama teaches a character chain collating and judging unit 200 for receiving the position numbers of one particular two-character chain Tc1 from the storing unit 195 just after the reception of the position numbers of another particular two-character chain Tc2 under the control of the control unit 199. (First collation case), collating each position number of a particular second two-character chain Tc1 with a particular position number of a particular first two-character chain Tc2 to judge whether or not each position number of the particular second two-character chain Tc1 agrees

Art Unit: 2626

with the particular position number of the particular first two-character chain Tc2 (second collation case), collating each position number of a particular special two-character chain Tc1 with a particular position number of a particular first two-character chain Tc2 to judge whether or not each position number of the particular special two-character chain Tc1 is higher than the particular position number of the particular first two-character chain Tc2 by one (third collation case), collating each position number of a particular special two-character chain Tc1 with a particular position number of a particular second two-character chain Tc2 to judge whether or not each position number of the particular special two-character chain Tc1 is higher than the particular position number of the particular second two-character chain Tc2 by two (fourth collation case), collating each position number of a particular first two-character chain Tc1 with a particular position number of a particular special two-character chain Tc2 to judge whether or not each position number of the particular first two-character chain Tc1 is higher than the particular position number of the particular special two-character chain Tc2 by one (fifth collation case), and detecting a particular position number of a particular two-character chain of the particular two-character chain table Tc1 for each collation case (Katayama Col. 131 lines 27-67).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Lisle to incorporate compression being a grouping of two or more symbols treated as a single unit for purposes of linguistic sorting and the compression type identifying a number of symbols in a given compression as taught by Katayama to allow for control of several letters/symbols within

Art Unit: 2626

a character chain, wherein a table is used to track, judge, and find the position and number of symbols present (Katayama Col. 130 lines 33-53).

However, Lisle in view of Katayama fails to teach

providing a plurality of compression tables, each compression table pertaining to *one of the supported languages* and having a compression type and containing compressions of symbols of that compression type

linguistic sorting determined based on a compression type of the given compression, a first of the two or more symbols in the given compression and a predefined order of symbols

Okada teaches discriminating the kind of language, wherein a separating unit 32 per language is provided for the language string separating unit 12. On the basis of the discrimination result of the language by the row octet decoder 30, the separating unit 32 per language separates the input Unicode data into each language string such as Latin (English), Greek, or the like. A compressing unit corresponding to each language allocated for the Unicode is individually provided for the language string compressing unit 14. In the embodiment, a Latin compressing unit 34, a Greek compressing unit 36, a Hangul compressing unit 38, a Kanji compressing unit 40, and the like are provided. As a compressing unit per language which is provided for the language string compressing unit 14, it is sufficient to properly decide the compressing unit in accordance with the language which is treated in the Unicode source data as a compression target. The compression data per language compressed by each of the

Art Unit: 2626

Latin compressing unit 34, Greek compressing unit 36, Hangul compressing unit 38, and Kanji compressing unit 40 is unified by a code unifying unit 42 and the unified data is outputted as compression data. As a compressing method of each compressing unit per language provided for the language string compressing unit 14, a plurality of dictionary memories corresponding to the languages are provided and there is executed a Ziv-Lempel encoding for encoding by a longest coincidence retrieval of the character string which is inputted per data of the language string and the character string which has already been registered in the dictionary for every language. In the Ziv-Lempel encoding, any one of the dynamic dictionary method and the slide dictionary method can be used. As another compressing method, for the character string separated every language, on the basis of a probability table per language string obtained until now, the character string which is inputted every data can be also multi-value arithmetic encoded. The source data of the Unicode in which different languages mixedly exist is separated every language and is individually compressed, so that the compression of each character string in which statistic natures are similar is executed. A compressing unction in the Ziv-Lempel encoding, arithmetic encoding, or the like is effectively used and a high compression ratio can be realized (Okada Col. 12 line 26 –Col. 13 line 8 & Fig. 17 and 18 compression, decompression).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Lisle in view of Katayama to incorporate providing a plurality of compression tables, each compression table pertaining to one of the supported languages and having a compression type and containing compressions

Art Unit: 2626

of symbols of that compression type and linguistic sorting determined based on a compression type of the given compression, a first of the two or more symbols in the given compression and a predefined order of symbols as taught by Okada to allow for the distinguishing between multiple languages mixed or separately in a Unicode environment dealing with compression, decompression, and sorting to create a high compression ratio/type depending on the language (i.e. grammar), wherein compression ratios vary for each language in reference to a already existing language (Okada Col. 12 line 26 –Col. 13 line 8 & Fig. 17 and 18 compression, decompression).

Re claims 11 and 16, Lisle teaches a computer-readable medium having computer-executable instructions for performing steps for a computer search program to carry out a linguistic sorting operation (Col. 15 lines 45-63, comprising:

receiving an input string containing a plurality linguistic symbols (Col. 6 lines 42-58) used in a given language (Col. 15 lines 45-63);

for a first symbol in a combination of symbols in the input string (Col. 15 lines 45-63), referencing a symbol table (Col. 20 lines 35-56) to obtain a highest compression type for compressions beginning with said first symbol, the symbol table having a list of code points each uniquely identifying a symbol and a sort weight for the symbol identified by said each code point;

performing a binary search (Col. 16 lines 6-27) through each of a plurality of compression tables (Col. 19 lines 36-59) containing compressions for the given language to find a matching compression that matches said combination of symbols in

Art Unit: 2626

the input string (Col. 16 lines 6-27), wherein the plurality of compression tables are searched in a descending order (Col. 15 lines 45-63) of compression types of the compression tables (Col. 19 lines 36-59) starting with a compression table having a compression type equal to said highest compression type for said first symbol (Col. 15 lines 45-63).

NOTE: Tagging a code point is construed to be both functionally equivalent and equally effective as ranking or ordering a code point or address in memory for the purposes of a hierarchical classification.

However, Lisle fails to teach each compression being a grouping of two or more symbols treated as a single unit for purposes of linguistic sorting and the compression type identifying a number of symbols in a given compression

Katayama teaches a registration two-character chain table producing unit 194 for producing a first table block, in which a plurality of registration first and second two-character chains respectively including the same type of for general character and the position numbers of the registration first and second two-character chains are listed in the order of arranging the chains in the converted registration character string, for each fore general character type, producing a second table block, in which a plurality of registration special two-character chains respectively including the same type of fore symbolic character and the position numbers of the registration special two-character chains are listed in the order of arranging the chains in the converted registration character string, for each fore symbolic character type, and combining each first table block corresponding to one type of fore general character and one second table block

Art Unit: 2626

corresponding to one type of fore symbolic character determined in correspondence to the type of the fore general character to form a two-character chain table for each character group, the fore characters of the chains in each two-character chain table belonging to the same character group (Katayama Col. 130 lines 33-53).

Further, Katayama teaches a character chain collating and judging unit 200 for receiving the position numbers of one particular two-character chain Tc1 from the storing unit 195 just after the reception of the position numbers of another particular two-character chain Tc2 under the control of the control unit 199. (First collation case), collating each position number of a particular second two-character chain Tc1 with a particular position number of a particular first two-character chain Tc2 to judge whether or not each position number of the particular second two-character chain Tc1 agrees with the particular position number of the particular first two-character chain Tc2 (second collation case), collating each position number of a particular special two-character chain Tc1 with a particular position number of a particular first two-character chain Tc2 to judge whether or not each position number of the particular special two-character chain Tc1 is higher than the particular position number of the particular first two-character chain Tc2 by one (third collation case), collating each position number of a particular special two-character chain Tc1 with a particular position number of a particular second two-character chain Tc2 to judge whether or not each position number of the particular special two-character chain Tc1 is higher than the particular position number of the particular second two-character chain Tc2 by two (fourth collation case), collating each position number of a particular first two-character chain Tc1 with a

Art Unit: 2626

particular position number of a particular special two-character chain Tc2 to judge whether or not each position number of the particular first two-character chain Tc1 is higher than the particular position number of the particular special two-character chain Tc2 by one (fifth collation case), and detecting a particular position number of a particular two-character chain of the particular two-character chain table Tc1 for each collation case (Katayama Col. 131 lines 27-67).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Lisle to incorporate compression being a grouping of two or more symbols treated as a single unit for purposes of linguistic sorting and the compression type identifying a number of symbols in a given compression as taught by Katayama to allow for control of several letters/symbols within a character chain, wherein a table is used to track, judge, and find the position and number of symbols present (Katayama Col. 130 lines 33-53).

However, Lisle in view of Katayama fails to teach a highest compression type for compressions beginning with said first symbol, the symbol table having a list of code points each uniquely identifying a symbol and a sort weight for the symbol identified by said each code point for a given language.

Okada teaches discriminating the kind of language, wherein a separating unit 32 per language is provided for the language string separating unit 12. On the basis of the discrimination result of the language by the row octet decoder 30, the separating unit 32 per language separates the input Unicode data into each language string such as Latin

Art Unit: 2626

(English), Greek, or the like. A compressing unit corresponding to each language allocated for the Unicode is individually provided for the language string compressing unit 14. In the embodiment, a Latin compressing unit 34, a Greek compressing unit 36, a Hangul compressing unit 38, a Kanji compressing unit 40, and the like are provided. As a compressing unit per language which is provided for the language string compressing unit 14, it is sufficient to properly decide the compressing unit in accordance with the language which is treated in the Unicode source data as a compression target. The compression data per language compressed by each of the Latin compressing unit 34, Greek compressing unit 36, Hangul compressing unit 38, and Kanji compressing unit 40 is unified by a code unifying unit 42 and the unified data is outputted as compression data. As a compressing method of each compressing unit per language provided for the language string compressing unit 14, a plurality of dictionary memories corresponding to the languages are provided and there is executed a Ziv-Lempel encoding for encoding by a longest coincidence retrieval of the character string which is inputted per data of the language string and the character string which has already been registered in the dictionary for every language. In the Ziv-Lempel encoding, any one of the dynamic dictionary method and the slide dictionary method can be used. As another compressing method, for the character string separated every language, on the basis of a probability table per language string obtained until now, the character string which is inputted every data can be also multi-value arithmetic encoded. The source data of the Unicode in which different languages mixedly exist is separated every language and is individually compressed, so that the compression of

Art Unit: 2626

each character string in which statistic natures are similar is executed. A compressing unction in the Ziv-Lempel encoding, arithmetic encoding, or the like is effectively used and a high compression ratio can be realized (Okada Col. 12 line 26 –Col. 13 line 8 & Fig. 17 and 18 compression, decompression).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Lisle in view of Katayama to incorporate a highest compression type for compressions beginning with said first symbol, the symbol table having a list of code points each uniquely identifying a symbol and a sort weight for the symbol identified by said each code point for a given language as taught by Okada to allow for the distinguishing between multiple languages mixed or separately in a Unicode environment dealing with compression, decompression, and sorting to create a high compression ratio/type depending on the language (i.e. grammar), wherein compression ratios vary for each language in reference to a already existing language (Okada Col. 12 line 26 –Col. 13 line 8 & Fig. 17 and 18 compression, decompression).

Re claim 12, Lisle teaches a computer-readable medium as in claim 11, wherein the compressions in each of the compression tables (Col. 19 lines 36-59) are sorted according to code points for symbols forming the compressions (Col. 15 lines 45-63).

Re claim 2, 7, and 15, Lisle in view of Katayama fails to teach the computer-readable medium as in claim 1, wherein the code points are assigned to the symbols according to the Unicode standard.

Okada teaches discriminating the kind of language, wherein a separating unit 32 per language is provided for the language string separating unit 12. On the basis of the discrimination result of the language by the row octet decoder 30, the separating unit 32 per language separates the input Unicode data into each language string such as Latin (English), Greek, or the like. A compressing unit corresponding to each language allocated for the Unicode is individually provided for the language string compressing unit 14. In the embodiment, a Latin compressing unit 34, a Greek compressing unit 36, a Hangul compressing unit 38, a Kanji compressing unit 40, and the like are provided. As a compressing unit per language which is provided for the language string compressing unit 14, it is sufficient to properly decide the compressing unit in accordance with the language which is treated in the Unicode source data as a compression target. The compression data per language compressed by each of the Latin compressing unit 34, Greek compressing unit 36, Hangul compressing unit 38, and Kanji compressing unit 40 is unified by a code unifying unit 42 and the unified data is outputted as compression data. As a compressing method of each compressing unit per language provided for the language string compressing unit 14, a plurality of dictionary memories corresponding to the languages are provided and there is executed a Ziv-Lempel encoding for encoding by a longest coincidence retrieval of the character string which is inputted per data of the language string and the character string which has already been registered in the dictionary for every language. In the Ziv-Lempel encoding, any one of the dynamic dictionary method and the slide dictionary method can be used. As another compressing method, for the character string separated every

Art Unit: 2626

language, on the basis of a probability table per language string obtained until now, the character string which is inputted every data can be also multi-value arithmetic encoded. The source data of the Unicode in which different languages mixedly exist is separated every language and is individually compressed, so that the compression of each character string in which statistic natures are similar is executed. A compressing unction in the Ziv-Lempel encoding, arithmetic encoding, or the like is effectively used and a high compression ratio can be realized (Okada Col. 12 line 26 –Col. 13 line 8 & Fig. 17 and 18 compression, decompression).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Lisle in view of Katayama to incorporate a Unicode standard for assigning code points to symbols as taught by Okada to allow for the distinguishing between multiple languages mixed or separately in a Unicode environment dealing with compression, decompression, and sorting to create a high compression ratio/type depending on the language (i.e. grammar), wherein compression ratios vary for each language in reference to a already existing language (Okada Col. 12 line 26 –Col. 13 line 8 & Fig. 17 and 18 compression, decompression).

Re claim 17, Lisle teaches the computer-readable medium as in claim 11, having further computer-executable instructions for storing a sort weight (Col. 15 lines 45-63) for the matching compression (Col. 16 lines 6-27).

Re claims 5 and 10, Lisle teaches the computer-readable medium as in claim 1, further comprising computer-executable instructions for performing steps of sorting compressions (Col. 15 lines 45-63) in each of the compression tables based on combinations of code points (Col. 20 lines 35-56) of the compressions in said each compression table (Col. 19 lines 36-59).

4. Claims 3, 4, 8, 9, 13, and 14, are rejected under 35 U.S.C. 103(a) as being unpatentable over Lisle et al US 4,843,389 (hereinafter Lisle) in view of Katayama et al. US 5550541 A (hereinafter Katayama) and Okada US 5889481 A (hereinafter Okada) and further in view of Edberg 5,873,111 A (hereinafter Edberg).

Re claims 3, 8, and 14, Lisle teaches sort weight of the symbol (Col. 15 lines 45-63) identified by said each code point (Col. 20 lines 35-56).

However Lisle in view of Katayama and Okada fails to teach the computer-readable medium as in claim 1, wherein the tag for each code point is stored as a portion

Edberg teaches character attributes that may be organized in a particular collation order such that information located earlier in the list indicate a higher priority level of significance. For example, if "number" comes before "letter" in the order of the character attributes in class 40, then any number will be collated before any letter, such that "10" will be listed before "apple" in a list of information which has been collated by the sample ordering of category 32a. Alternatively, the character attributes 46 may be tagged with a prefix 43. The lower the prefix 43 of a character attribute 46, the earlier it

Art Unit: 2626

places in the collation order. For example, in the Unicode category 32c, Latin letters would list before Cyrillic letters in a collation order (Edberg Col. 12 lines 7-12).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to modify the system of Lisle in view of Katayama and Okada to incorporate the tag for each code point stored as a portion as taught by Edberg to allow for proper ordering and collation of characters, wherein prefixes are considered in a language specific text (i.e. Unicode and/or Latin) (Edberg Col. 12 lines 7-12).

Re claims 4 and 9, Lisle teaches computer-readable medium as in claim 3, wherein the sort weight of the symbol identified by said each code point (Col. 20 lines 35-56) comprises a case weight value (Col. 15 lines 45-63), and wherein the tag for said each code point is stored as part of the case weight value for said each code point (Col. 20 lines 35-56).

Re claims 13, Lisle teaches computer-readable medium as in claim 12, wherein each code point in the symbol table includes a tag indicating a highest compression type (Col. 19 lines 36-59) for said each code point (Col. 20 lines 35-56), and wherein said step of referencing retrieves the tag for the code point identifying said first symbol (Col. 15 lines 45-63).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael C. Colucci whose telephone number is (571)-270-1847. The examiner can normally be reached on 9:30 am - 6:00 pm, Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richemond Dorvil can be reached on (571)-272-7602. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Michael C Colucci/
Examiner, Art Unit 2626
Patent Examiner
AU 2626

Application/Control Number: 10/691,424

Page 26

Art Unit: 2626

(571)-270-1847

Michael.Colucci@uspto.gov

/Richemond Dorvil/

Supervisory Patent Examiner, Art Unit 2626